

Enmore Church of England Primary School

Headteacher: Mr D MacRae

School Data

SCHOOL TEST RESULTS 2019 - All																
	Percentage at each level															
Combined REA, WRI, MAT (WRI is teacher assessed)	70.0															
Subject	A	B	L	M	T	U	J	F	P	H	Q	AS	NS	CA	CN	
Grammar, Punctuation and Spelling	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	85.0	15.0	0.0	0.0	
Reading	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	85.0	15.0	0.0	0.0	
Mathematics	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	80.0	20.0	0.0	0.0	

SCHOOL TEACHER ASSESSMENTS 2019 - All																		
Please note as per the 2019 DfE requirements teacher assessment results for children working at the expected standard in reading and maths are no longer required.																		
	Percentage at each level																	
Subject	A	D	L	F	P	Q	HNM	BLW	PK1	PK2	PK3	PK4	PK5	PK6	WTS	EXS	GDS	
Reading	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Writing	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.0	75.0	10.0	
Mathematics	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Science	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	0.0	

Result Explanation

- **A** - Absent
- **B** - Working below the level of the test
- **L** - Left
- **M** - Missing
- **T** - Unable to access test
- **F** - Pupil will take the test in the future
- **P** - Pupil has taken the test in the past
- **H** - Pupil Cheating
- **Q** - Maladministration
- **AS** - Achieved standard
- **NS** - Not achieved standard
- **CA** - Ability to represent their actual ability in the test affected
- **CN** - Ability to represent their actual ability in the test not affected
- **D** - Disapplied
- **BLW** - Below the standard of the pre-key stage
- **PK1** - Pre Key Stage Standard 1
- **PK2** - Pre Key Stage Standard 2
- **PK3** - Pre Key Stage Standard 3
- **PK4** - Pre Key Stage Standard 4
- **PK5** - Pre Key Stage Standard 5
- **PK6** - Pre Key Stage Standard 6
- **WTS** - Working towards the expected standard
- **EXS** - Working at the expected standard
- **GDS** - Working at a greater depth at the expected standard
- **HNM** - Has not met the standard